



 **Led2**[®]
L I G H T I N G

NEW PRODUCTS
2022

NEW PRODUCTS



MIRA



ROTO



ROTO Z



LOCO




BETA 19



HIDE




YOYO



OLLI



LOOK



KERY



ECO TRACK

NEW VARIANTS OF EXISTING LUMINAIRES



TUBUS



KLIP ON



BUTTON II



SATURN 80



MONO 80



TONDA 120



QUADRA 120



SPOT



KLIP



LENA 120

MIRA

Outdoor circular lamp. Light source - SMD LED.
The lamp is made of aluminum, the diffuser
is made of polycarbonate. Available in white
and black, including dimmable versions.


Use - general outdoor lighting (entrance, terrace, pergola).





MIRA


9-18 W 3CCT 3000K/4000K/5700K 750-1850 lm



ROTO


Circular ceiling lamp for interior installation.
Light source - LED SMD. Slim design with direct and indirect light emission. It is available in 2 sizes, in white and black, including dimmable versions. The lamp is made of aluminum, prismatic diffuser made of PS. Available in white and black, including dimmable versions.

The use - general lighting intended for living or commercial spaces (living room, children's room or bedroom, kitchen, reception).






ROTO 40 33-40+8 W 3CCT 2700K/3300K/4000K 3150-3800 lm



ROTO 60 40-60+8 W 3CCT 2700K/3300K/4000K 4250-6300 lm




ROTO Z

Circular suspended lamp for interior installation.
Light source - LED SMD. Slim design with direct and indirect light emission. It is available in 2 sizes, in white and black, including dimmable versions.
The lamp is made of aluminum, prismatic diffuser made of PS. Available in white and black, including dimmable versions.

The use - general lighting intended for living or commercial spaces (living room, children's room or bedroom, kitchen, reception).






ROTO Z 40

33-40+8 W

3CCT 2700K/3300K/4000K

3150-3800 lm




ROTO Z 60

40-60+8 W

3CCT 2700K/3300K/4000K

4250-6300 lm



LOCO

Suspended ball shaped light designed for interior mounting.


Light source - SMD LED. The lamp is made of aluminum, the diffuser is made of PMMA.

Use - general or accent indoor lighting (bar, entrance, library, wardrobe, hallway).





LOCO 10 W 3000K 900 lm




BETA 19

Recessed circular luminaire designed for interior mounting. Light source - COB LED. Housing made of metal, cooler made of aluminum, prismatic satin diffuser with low glare index. Available in white.

Use - general lighting, intended for residential or commercial spaces (corridor, offices, entrance areas, room lighting, work spaces).





BETA 19


30-40 W 3CCT 3000K/4000K/5700K 3200-3750 lm



HIDE


Circular, retractable and rotating recessed luminaire designed for indoor installation. Light source - LED COB. The lamp is made of aluminum. Available in white and black, including dimmable versions.

Use - general or accent lighting intended for residential or commercial spaces (corridor, kitchen, entrance areas, bars, libraries).






HIDE 10-20 W 3000K 900-1800 lm



YOYO


Compact diffused luminaire designed for mounting in 3-circuit rails. Available in white and black.

Use - thanks to the variability of the luminaire, it is especially suitable for diffuse lighting of spaces (shops, libraries, galleries, shops).





YOYO 16 W 3CCT 3000K/4000K/5700K 1760 lm




OLLI

Indoor circular lamp designed for mounting in 3-phase tracks. Light source - SMD LED. The lamp is made of aluminum, the diffuser is made of polycarbonate.


Use - general indoor lighting of commercial or residential spaces (shops, galleries, entrances, libraries).





OLLI

12 W 3000K 1000 lm



LOOK

Adjustable compact reflector designed for mounting in 3-circuit rails with COB LED. The lamp is made of aluminum. Available in white and black.


Use - thanks to the variability of the luminaire setting in all directions, it is especially suitable for accented lighting of spaces (shops, libraries, galleries, shops).





LOOK

25-32 W 3000K/4000K 2250-2900 lm



KERY


Outdoor circular lamp. Light source - SMD LED with microwave motion sensor. Both the lamp and the diffuser are made of polycarbonate.

Use - general outdoor lighting (entrance, terrace, stairs).






110° CRI 80+ IP 65



KERY 18 W 3CCT 3000K/4000K/5700K 1950 lm



ECO TRACK

Affordable three-phase track system designed to power compatible luminaires.


Three independent light circuits. Surface, suspended or cassette mounting. Made of aluminum.

Use: general lighting in commercial spaces (offices, receptions, conference rooms, schools).





COMPONENTS



TRACK 2/3 m



LIVE END L/R



LIVE CENTER



L-FEED L/R



CONNECTOR



END CAP



FLEXI CONNECTOR



SUSPENSION KIT



BASE



T-CONNECTOR



X-CONNECTOR






TUBUS

Series of round surface light fitting for interior mounting, equipped with COB LED. Housing made of aluminium. Available in 3 different styles A,B,C in white and black color.


Application - general or accent lighting, intended for residential or commercial areas (hallway, wardrobes, entrance areas, bar, toilet).




2700K




TUBUS A



TUBUS B



TUBUS C



KLIP ON

Adjustable, tiltable round surface light fitting for interior mounting, equipped with COB LED. Housing made of aluminium. Available in chrome, white or black color.


Application - general or accent lighting, intended for residential or commercial areas (hallway, wardrobes, entrance areas, bar, libraries).



2700K



KLIP ON



BUTTON II



Round ceiling or wall surface light fitting for interior mounting, equipped with SMD LEDs. Housing made of aluminium. Available in white or black color.

Application - general lighting, intended for residential or commercial areas (hallway, wardrobes, entrance areas, toilet, pantry).


6-12 W

2CCT 3000K/4000K

600-1200 lm



BUTTON II



SATURN 80



Round light fitting for suspended interior mounting, equipped with SMD LEDs. Available in 2 different sizes in black and white color. Housing made of aluminium, opal Diffusor made of PMMA.


Application - general lighting, intended for residential or commercial areas (dining room, livingrooms, guest or bedrooms, entrance areas, kitchen, receptions, meeting rooms).



2CCT 3000K/4000K



SATURN 80



MONO 80



Circular ceiling lamp designed for indoor installation, equipped with SMD LEDs. Available in 4 different sizes up to 1 meter with direct diffused lighting effect. Housing made of metal, opal Diffusor made of PMMA. Available in white and black color.

Application - general lighting, intended for residential or commercial areas (dining room, livingrooms, guest or bedrooms, entrance areas, kitchen, receptions, meeting rooms).




2CCT 3000K/4000K

PRISMATIC DIFFUSER
available for all versions of MONO



MONO 80



TONDA 120



Linear light fitting for interior mounting, equipped with SMD LEDs. Slim design with invisible screws hidden behind magnetic endcaps. Housing made of aluminium, chrome finish with opal Diffusor. Available in 3 lengths.


Application - general lighting, but especially above or on the sides of the mirror.



TONDA 120



24 W 2CCT 3000K/4000K 1920 lm



QUADRA 120



Linear light fitting for interior mounting, equipped with SMD LEDs with IP 44. Slim design with invisible screws hidden behind magnetic endcaps. Housing made of aluminium, chrome finish with opal Diffusor. Available in 3 lengths.


Application - general lighting, but especially above or on the sides of the mirror.



QUADRA 120




24 W 2CCT 3000K/4000K 1920 lm




SPOT

Series of recessed spot lights for interior mounting with IP44, equipped with COB LED. Housing made of aluminium. Available in 3 different styles in white and black color.


Application - general or accent lighting, intended for residential or commercial areas (hallway, wardrobes, entrance areas, bar, toilet).




SPOT A



SPOT B



SPOT C




KLIP

Recessed adjustable, tiltable round light fitting for interior mounting, equipped with COB LED. Housing made of aluminium. Available in chrome, white or black color.

Application - general or accent lighting, intended for residential or commercial areas (hallway, wardrobes, entrance areas, bar, libraries).



KLIP



LENA 120

LED panel lamp designed for mounting in the ceiling, cassettes, plasterboard and on the surface. The lamp comes in two sizes with accessories. Low energy consumption with high light output. The lamp is made of aluminum, prismatic PMMA diffuser. Available in white.


Use: general lighting in commercial spaces (offices, receptions, conference rooms, schools).



LENA 120



32-39 W 4000K 3710-4290 lm





info@led2.eu
www.led2.eu